

10/775050

Search results

## Refine Search

### Search Results -

| Terms   | Documents |
|---|-----------|
| (baculovir\$ or nuclear near polyhedrosis) near10 (non-lytic or non near lytic) | 8         |

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Tuesday, February 20, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set</u><br><u>Name</u><br>side by<br>side | <u>Query</u>   | <u>Hit</u><br><u>Count</u> | <u>Set</u><br><u>Name</u><br>result set |
|--|--|----------------------------|---|
|  | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR                               |                            |   |
| <u>L14</u>                                   | (baculovir\$ or nuclear near polyhedrosis) near10 (non-lytic or non near lytic)      | 8                          | <u>L14</u>                              |
| <u>L13</u>                                   | L7 and (Dsred or EGFP or ECFP or EYFP)   | 31                         | <u>L13</u>                              |
| <u>L12</u>                                   | L11 and p35 near5 (intact or wildtype or wild-type)                                  | 1                          | <u>L12</u>                              |
| <u>L11</u>                                   | L6 and mutagenesis   | 38                         | <u>L11</u>                              |
| <u>L10</u>                                   | L6 and mutagenize\$  | 0                          | <u>L10</u>                              |
| <u>L9</u>                                    | L6 and mutagen\$   | 38                         | <u>L9</u>                               |
| <u>L8</u>                                    | L7 and (C4 or 1081)  | 0                          | <u>L8</u>                               |
| <u>L7</u>                                    | L6 and flurophore\$  | 31                         | <u>L7</u>                               |
| <u>L6</u>                                    | L5 and p35   | 41                         | <u>L6</u>                               |
| <u>L5</u>                                    | (baculovir\$ or nuclear near polyhedrosis) near10 (lyzing or lyse or lysis or lytic) | 501                        | <u>L5</u>                               |
| <u>L4</u>                                    | L1 and (lyse or lysed or lytic or lyzing) near5 cell\$                               | 39                         | <u>L4</u>                               |

|           |   |    |           |
|-----------|---|----|-----------|
| <u>L3</u> | L1 and (lyse or lysed or lytic or lyzing) near5 cell4       | 0  | <u>L3</u> |
| <u>L2</u> | L1 and ("not" or without or absen\$) near5 ly\$             | 0  | <u>L2</u> |
| <u>L1</u> | (baculovir\$ or nuclear near polyhedrosis) near10 mutagen\$ | 95 | <u>L1</u> |

END OF SEARCH HISTORY

## Refine Search

### Search Results -

| Terms  | Documents |
|--|-----------|
| L2 and p35 near5 (intact or wild-type or wildtype) | 1         |

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L5





### Search History

DATE: Tuesday, February 20, 2007    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

DB=PGPB; PLUR=YES; OP=OR

|           |   |    |           |
|-----------|---|----|-----------|
| <u>L5</u> | L2 and p35 near5 (intact or wild-type or wildtype)                | 1  | <u>L5</u> |
| <u>L4</u> | L2 and p35  | 3  | <u>L4</u> |
| <u>L3</u> | L2 and flurophore\$   | 0  | <u>L3</u> |
| <u>L2</u> | L1 and (lyse or lysed or lytic or lysis or non-lytic or nonlytic) | 22 | <u>L2</u> |
| <u>L1</u> | (baculovir\$ or nuclear near polyhedrosis) near10 mutagen\$       | 39 | <u>L1</u> |

END OF SEARCH HISTORY.